



KWC SELECTION KITCHEN







Pure excitement



KWC draws on its long company tradition to ensure that its Swiss quality products make a splash right around the world. Developed and manufactured in Unterkulm in Switzerland's Aargau region, the products are exported to over 50 countries.

Aesthetics

The extraordinarily elegant design of KWC products raises the experience of simply handling water to a new level. These exclusively processed faucets create a refined atmosphere in any kitchen or bathroom.

Functionality

Our many years of experience and the continuous ongoing development of our products give them a unique functionality. We also integrate new technologies to achieve hitherto undreamt of improvements in the way they work.

Ecology

KWC is aware of its environmental responsibilities. We regard the concept of sustainability as a great challenge and incorporate it in everything we do. Thanks to innovative technical features, our products significantly reduce the consumption of water and energy.



KWC is certified in the following areas

ISO 9001:2000 Quality management systems ISO 14001:2004 Environmental management systems OHSAS 18001:1999 Occupational health and safety management systems





Swiss quality

KWC is a Swiss company that sets the benchmark worldwide. As a loyal partner, fair play is an important priority and a conscious responsibility. This is why KWC faucets are still designed and manufactured in Unterkulm, Aargau. The commitment to production in Switzerland is a guarantee of the expertise and skill of the workforce, the constant refinement of tried-and-tested technologies and a consistently high-quality product.



Prize-winning design

Numerous awards for its internationally leading designs demonstrate the high regard in which KWC is held across the world.





DESIGN PLUS





NOMINEE







Moving with the times

Just like the fascinating element of water, KWC too is always on the move. Boldness in making changes and a willingness to innovate have characterized the company since its beginnings in 1874.



Innovative technology

KWC faucets make the daily business of handling water a real experience. Every detail is perfect, every movement is right, every function is impressive.







Form and function

KWC ONOpages 12 / 70KWC ONO touch light PROpages 22 / 73KWC LIVELLOpages 26 / 75KWC INOXpages 30 / 76

Creativity and emotion

 KWC SIN
 pages 36 / 78

 KWC USO
 pages 44 / 78


 KWC EVE
 pages 48 / 79

Peace and harmony

KWC AVA	pages 54 / 80
KWC BLISS	pages 58 / 81
KWC DOMO	pages 60 / 82
KWC ORCINO	pages 62 / 84
KWC LUNA	pages 64 / 84

KWC SYSTEMA	page 77
KWC DIVO	page 85
KWC DIVO-ARCO	page 86
KWC STAR	page 86
KWC soap dispensers	pages 66 / 87





Form and function

Outstanding quality always includes two aspects: the aesthetic form and the functional. It is only what appeals to us that can move us emotionally – and it is only what represents a reliable value that is capable of convincing us over the long term. At KWC, we like to be inspired by nature when designing new faucets so as always to create new, unusual lines from scratch: as durable and resilient as a piece of granite, as impressive and beautiful as a mountain landscape.

KWC ONOpages 12 / 70KWC ONO touch light PROpages 22 / 73KWC LIVELLOpages 26 / 75KWC INOXpages 30 / 76

KWC ONO

KWC ONO is a masterpiece of contemporary design: delicately proportioned, made of premium-quality materials, perfectly finished off. Its clear and simple lines give this faucet elegance, grace and strength – so you almost forget how practical, robust and easy to use it is. An artistic creation which adds a touch of subtle distinction to any kitchen.



KWC ONO



Simple perfection

KWC ONO stands for sustainability and authenticity. The simplicity of the form becomes a symbol of essential beauty, presented with discreet elegance – and adds a touch of subtlety to any kitchen.

KWC ONO comes in chrome or pure stainless steel. The elegant design and fine finish on the edges and joints will delight you, day after day.



KWC ONO



Perfectionism

Graceful yet incredibly robust: the operating lever on the KWC ONO is made of specially hardened stainless steel, as used in medical equipment. The material is resistant to fracturing and corrosion. The lever operates the cartridge directly, guaranteeing maximum precision.

Leadership style

The pull-down areator on the side-operated lever mixer, with its stylishly curved design, is particularly smart. It fits seamlessly into the spout and pulls out up to 70 cm if required.

Customized

Aerated Neoperl® jet or needle spray? A simple touch of a button – and the water flows in the desired mode.



Character studies

Showing character means expressing individuality. KWC ONO is just one example of a faucet series that is made in various versions for different requirements. Whether it is a top-operated version with a pull-out spray, a pull-out aerator concealed in the elegantly shaped spout or a side-operated model – a good faucet adapts to the demands of its users.





An object of prestige highflex® highflex

Innovative technology in an ingenious presentation. The characteristic highflex® spring hose, in refined black, brings together style, flexibility and top performance. The high arched hose can be guided in any direction, but when at rest – with or without the spray holder – it retains its shape at all times.







Multiple-hole solutions

Multiple-hole solutions are a useful addition to the range, particularly in the semi-professional area. Whether it is a 2-hole solution with the highflex® spring hose and swivel spout (operated from the side) or a 3-hole solution with a lever mixer fitted separately – everything is possible, just as you like, to suit your individual taste.



Performance spectrum

Actuating the lever on the spray automatically switches the integrated vacuum diversion over from spout operation to a needle spray.




KWC ONO touch light **PRO**

Looking to the future. KWC ONO touch light **PRO** is a product concept with a bright future. The aesthetic appeal of clear shapes is expressed in a purist geometric style which characterizes the world of KWC ONO. The only thing that is more beautiful is the idea behind the sophisticated electronics, opening up undreamt-of opportunities to the user.



KWC ONO touch light **PRO**



At your fingertips

The compact operating unit allows the pre-set water temperature and flow rates to be accessed quickly and conveniently. Just tap, and let everything else take care of itself: once for cold (blue), twice for warm (orange) and three times for hot (red). The factory settings can also be changed individually.



Remote control

The operating unit is also available as a wireless version. Thanks to a magnet, it can be easily removed from the swivel spout head and placed wherever you like in the room.





Fine-tuning

KWC ONO touch light **PRO**'s operating unit does not just have three pre-set water temperatures and flow rates at its disposal, it also allows individual fine-tuning. A slight turn is enough to get the temperature just right. To adjust the water flow rate, press and turn.

Flexibility is the principle

The water spout and water mixer are two separate components. You choose the position and alignment of each.




KWC LIVELLO

KWC LIVELLO is a high-quality kitchen faucet that meets the highest expectations. A transverse body and clear use of forms characterise this innovation, which adds a welcome touch to sophisticated residential buildings.



KWC LIVELLO




STAINLESS STEEL

All-round flexibility

Through a swiveling range of 360° and the aerator that can be pulled out by up to 60 cm, the radius of action is increased considerably so that, when working in the kitchen, you are literally not kept on a short leash.





Design

The horizontal pull-out aerator gives KWC LIVELLO its uniqueness and profile. On installation, the lever can be positioned on the right or left, or in front.

Operation

Simple aesthetics, well-conceived to the smallest detail: KWC LIVELLO is available in chrome or stainless steel, each version using a different design of operating lever.



KWC INOX

KWC INOX manifests its high quality at every glance and touch, and this can be summed up in two words: stainless steel. The pioneer in matters of material quality is also the obvious choice, with its clear forms across the whole line. The elegant, sparse, sleek design and unequivocally precise ease of use guarantee a sparkling appearance for KWC INOX in any modern kitchen.

STAINLESS STEEL



KWC INOX






Play of light

KWC INOX is also available as an elegant two-hole solution with LUMINAQUA®. While the minimalist shape of this stainless steel faucet makes it really easy to operate and clean, the LED lighting, incorporated in a transparent plastic ring, envelops the flowing water in a bright glow.

LUMINAQUA® Advanced Light Technology



Freedom of movement


Practical: the pull-out aerator with an operating range of up to 70 cm in pure stainless steel finish.

Everything you could ask for

Sophisticated: the alternative with pull-out spray and diverter for Neoperl® and needle spray. Variable: the model with an optional socket extension for more space under the spout.







Creativity and emotion

Evoking emotions is part of the high art of good product design. In addition to perfect functionality, it is therefore always important to create moods, to stimulate all the senses and to open the heart to aesthetics. By adopting a creative, innovative approach to shapes, colours, materials and technologies, KWC time and again produces faucets with a 'soul' that can touch and enthrall, by appealing to the emotions as well as the rational mind.

 KWC SIN
 pages 36 / 78

 KWC USO
 pages 44 / 78

 KWC EVE
 pages 48 / 79

KWC SIN

There is no place more sensual than the kitchen, with its tantalising aromas, incredible flavours and tempting ingredients for the very latest creations in cuisine. KWC SIN enriches the culinary world. This range, available in four different versions, makes an impressive impact in terms of both its stylish design and functional versatility. In short, KWC SIN stimulates your senses just as much as it appeals to your good sense.

DESIGN PLUS








highflex® extended water system

KWC SIN highflex® is a world first, uniting two innovative functions: two spray modes (filtered stream/Neoperl® spray) with the flexible, patented highflex® spring hose and a swivel spout.

- Spray with highflex® spring hose: when you lift the spray out of its bracket, the highflex® spring hose offers plenty of flexible room for movement in all directions.
- Swivel spout: when the spray is placed in its bracket, the result is a stable swivel spout with a swivelling range of 360°.

KWC SIN



High flexibility and stability combined. The highflex® spring hose is specially designed so that it always returns automatically to its original position. It therefore constantly maintains its elegantly curved profile. When the spring hose is placed in the hand-spray bracket using the positioning aid, the result is a stable swivel spout that can be rotated around 360°.

Design

Harmonious design and a sculptural aesthetic are combined with maximum flexibility and a variety of functions that leave nothing to be desired. This enables the range to satisfy the very highest standards in terms of materials and the quality of the finish.



Water as you like it

Besides the sophisticated highflex® spring hose, the spray on the KWC SIN highflex® also has what it takes to impress: the spray can be rotated 360° and can be switched between a powerful Neoperl® spray and a gentler filtered stream using the diverter button.



Pull-out aerator

True quality often only reveals itself at second glance. And that is certainly true of KWC SIN with its pull-out spout integrated almost invisibly into the hose-guide aerator. The slender, curved faucet can be swivelled 360°, creating real, all-round flexibility.

Swivel spout

Elegant yet practical. With its highly curved swivel spout, KWC SIN offers maximum clearance for all types of cookware – even large pots and pans.



Elegance with added value. With this version of KWC SIN, the spray integrated into the 360° swivelling hose guide can be pulled out and extended by up to 50 cm without a sound, thus giving you the room you need to be creative in the kitchen. The pull-out spray itself can also be rotated around its own axis – all the freedom you could possibly ask for.



KWC USO

Electronic faucets are a law unto themselves. The quest for perfection is still the top priority, but a balance has to be found between aesthetics and technology, elegance and electronics. The best example of this is the KWC USO: a wonderful piece of design that swathes the beauty of the flowing water in carefully regulated colours – and shows off the qualities of LUMINAQUA® LED technology in the very best light.




STAINLESS STEEL



KWC USO








TIPCONTROL

Three levels, three colours

Just touch the spout and the water becomes coloured: once for cold (blue), twice for warm (orange), three times for hot (red). The cleaning mode (green) is activated when you press the spout for five seconds, and it switches itself off automatically. The water flows for 10 seconds (factory setting).

Minimalist in shape, refined in the diversity of its functions, KWC USO perfectly complements the workspace of the modern kitchen. A faucet full of character, with a harmonious overall image – and which gives outstanding service in everyday use.



KWC eve

KWC EVE is a shining example of KWC's creativity and innovation. The unique combination of high-quality metal (stainless steel or chrome) and a stream of water subtly illuminated by LEDs creates a sculpture of light that beguiles with its slim, curved and feminine outline, transforming it into an object of desire. This is complemented by truly sophisticated functionality that makes KWC EVE an absolute high-light with no compromise.











KWC EVE




White magic or black beauty

Contrasting colours are united by a common style. Whether it is the silky smooth glacier white surface, reminiscent of Corian®, or the black chrome-plated KWC EVE which sets the visual tone, the distinctive, elegant shape and advanced technology of this faucet will never fail to delight the most discerning user.




A shining example of diverse functionality

LUMINAQUA® allows light and water to interact. At first glance, the light ring is integrated invisibly into the aerator, which can be pulled out by up to 60 cm. The LEDs have a service life that extends for years and use a minimal amount of power. Practical and economical: the light switches off automatically after 45 minutes.







Peace and harmony

Feel safe and secure. The desire for harmony is a human longing that finds particular expression at home, within one's own four walls – and rightly so. This is where we like to be, this is where we like to be able to rely on things. KWC takes the desire for reliability very seriously – with faucets that stand out thanks to their precision, long lifespan, diversity of functions and timeless design. With all these aspects, the focus is on one thing: outstanding Swiss quality.

KWC AVA	pages 54 / 80
KWC BLISS	pages 58 / 81
KWC DOMO	pages 60 / 82
KWC ORCINO	pages 62 / 84
KWC LUNA	pages 64 / 85

KWC AVA

KWC AVA turns the daily interaction with water into an experience of sparkling pleasure. The combination of cylinder and cube forms a single harmonious unit that makes many things possible – and all things a little easier. Simply beautiful. Simply water.





KWC AVA



Far-reaching

The pull-out spout fits comfortably in your hand and gives you complete freedom of movement at all times. Being able to pull it out up to 70 cm may be crucially important in the kitchen.



Aesthetic appeal across the whole series

Whether it is a swivel spout, a version with a pull-out spray or pull-out aerator (operated from the top or the side), or an elegant soap dispenser that matches the range – KWC AVA presents winning solutions across the whole range.

KWC BLISS

KWC BLISS is – as the name suggests – a godsend in the modern kitchen. Slim and as shiny as a mirror: the playful line and brilliant design set a stylish note and transform the faucet into an eyecatching feature that is simply and thrillingly fun. Incidentally: KWC BLISS is the perfect solution, even for smaller budgets. Of course, without having to take shortcuts in matters of operating convenience and quality of workmanship.






KWC DOMO

KWC DOMO is a real classic and has become virtually synonymous with kitchen faucets over the years. Since it was first launched in 1982, this successful model has been subtly redesigned a number of times, and so it has always remained contemporary.



KWC ORCINO

With its graceful lines, KWC ORCINO brings a feeling of lightness to the kitchen, elegantly combining classic faucet design with features that give the series an unmistakable look. Winning technology makes KWC ORCINO a reliable kitchen helper that, thanks to its special charm, is always in the spotlight.





KWC LUNA

KWC LUNA is a faucet range full of beauty and character. On the one hand, there is the harmonious, slimline design, and on the other, an impressive array of functions – not to mention the knowledge that this premium product is setting new standards in an attractive price range.






KWC soap dispensers

KWC soap dispensers are in tune with the trend towards uncluttered, functional kitchens. They match the various different ranges in design and character and, with their discrete elegance, create an atmosphere of order and clarity.



KWC soap dispensers



Maximum functionality

The large soap container (concealed beneath the sink) holds 300 ml, and has an ingenious system that allows it to be filled from the top. KWC soap dispensers – a little bit of luxury that has become an essential.






KWC ONO is also available for the bathroom.



Lever mixer swivel spout 270°

10.151.023.000 all chrome A 225 **10.151.023.700** stainless steel A 225




Lever mixer lever installation possible on the right or left side swivel spout 360°

10.151.013.000 all chrome A 225



Lever mixer pull-out aerator hose guide, swivelling 105°

10.151.113.000 all chrome A 225 **10.151.113.700** stainless steel A 225



Lever mixer lever installation possible on the right or left side pull-out spray with KWC JETCLEAN hose guide, swivelling 360°

10.151.003.000 all chrome A 225



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 105°

10.151.033.000 all chrome A 220 **10.151.033.700** stainless steel A 220



Lever mixer fixed spout

11.152.033.000 all chrome A 175 **11.152.034.000** all chrome A 225

to be ordered separately: unit for concealed installation 1/2 " 39.151.400.931




Lever mixer lever installation possible on the right or left side swivel spout 360°

10.151.413.000 all chrome A 220 **10.151.413.700** stainless steel A 220



Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 360°

10.151.102.000 all chrome A 200 **10.151.102.700** stainless steel A 200



Lever mixer 2-hole lever installation possible on the right or left side swivel spout 360°


10.152.413.000 all chrome A 220



Lever mixer 2-hole lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 360°

10.152.322.000 all chrome A 200

highflex® extended water system






Lever mixer highflex® patented spring hose technology 2-hole lever installation possible on the right or left side swivel spout 360° professional spray 360° turn

10.152.423.000 all chrome A 220

Lever mixer highflex® patented spring hose technology lever installation possible on the right or left side swivel spout 360° professional spray 360° turn

10.151.423.000 all chrome A 220 **10.151.423.700** stainless steel A 220




Lever mixer highflex® patented spring hose technology 3-hole lever installation possible on the right or left side swivel spout 360° professional spray 360° turn

10.153.423.000 all chrome A 220

KWC ONO touch light **PRO**

More information about KWC ONO touch light PRO can be found on the microsite, which may be accessed via www.kwc.com



with LED technology

Automatic touch light **PRO** technology with escutcheon and integrated operating unit individually selectable positioning of the operating unit (360° turn) swivel spout 360°

10.651.022.000 all chrome A 220, mains receiver



with LED technology

Automatic touch light **PRO** technology wall exposed installation, with escutcheon and integrated operating unit the operating unit can only be installed as illustrated: spout on the left, operating unit on the right fixed spout

11.654.003.000 all chrome A 175, mains receiver **11.654.004.000** all chrome A 225, mains receiver


to be ordered separately: unit for concealed installation $\frac{1}{2}$ " 39.004.500.931



with LED technology

Automatic touch light **PRO** technology operating unit suitable for mounting on cover, horizontal/vertical installation possible individually selectable positioning 2-hole swivel spout 360°

10.652.012.000 all chrome A 220, mains receiver




with LED technology

Automatic touch light **PRO** technology operating unit suitable for mounting on wall or cavity wall, horizontal/vertical mounting possible individually selectable positioning swivel spout 360°

10.651.032.000 all chrome A 220, mains receiver

to be ordered separately: rough in for operating unit **Z.636.183**



with LED technology


KWC ONO touch light **PRO** wireless operating unit, with charging station rechargeable battery life 3–4 months

Z.536.351.000 all chrome mains receiver

The wireless module can be combined with all the faucets from the KWC ONO touch light **PRO** range.

highflex® extended water system





with LED technology


Automatic
touch light **PRO** technology
highflex® patented spring hose
technology
operating unit suitable for mounting on
wall or cavity wall, horizontal/vertical
mounting possible
individually selectable positioning
3-hole
swivel spout 360°
professional spray 360° turn

10.653.112.000 all chrome A 220, mains receiver

with LED technology

Automatic touch light **PRO** technology highflex® patented spring hose technology with escutcheon and integrated operating unit individually selectable positioning of the operating unit (360° turn) swivel spout 360° professional spray 360° turn

10.651.122.000 all chrome A 220, mains receiver




with LED technology

Automatic
touch light **PRO** technology
highflex® patented spring hose
technology
operating unit suitable for mounting on
wall or cavity wall, horizontal/vertical
mounting possible
individually selectable positioning
2-hole
swivel spout 360°
professional spray 360° turn

10.652.132.000 all chrome A 220, mains receiver

to be ordered separately: rough in for operating unit Z.636.183




Lever mixer lever installation possible on the right or left side pull-out aerator hose guide, swivelling 360°

10.231.103.000 all chrome Δ 225




Lever mixer lever installation possible on the right or left side swivel spout 160°

10.231.013.000 all chrome A 225



Lever mixer lever installation possible on the right or left side pull-out aerator hose guide, swivelling 360°

10.231.103.700 stainless steel A 225




Lever mixer lever installation possible on the right or left side swivel spout 160°

10.231.013.700 stainless steel A 225


KWC INOX

STAINLESS STEEL




Lever mixer swivel spout 160°

10.271.023.700 stainless steel A 225




Lever mixer pull-out aerator hose guide, swivelling 130°

10.271.103.700 stainless steel A 230



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.271.033.700 stainless steel A 235 **10.271.033.736** stainless steel / matte black A 235



with LUMINAQUA® LED technology


Lever mixer
2-hole
lever installation possible on the right
or left side
pull-out aerator covered
hose guide, swivelling 360°

10.272.123.700 stainless steel A 200, mains receiver



Lever mixer socket 50 mm pull-out aerator hose guide, swivelling 130°

10.271.303.700 stainless steel A 230



KWC SYSTEMA




Lever mixer lever installation only possible on the right side pull-out aerator hose guide, swivelling 140°

10.501.042.000 all chrome A 200 **10.501.042.700** stainless steel A 200




Lever mixer socket 100 mm lever installation only possible on the right side pull-out aerator hose guide, swivelling 140°

10.501.102.000 all chrome 10.501.102.700 stainless steel



Lever mixer lever installation only possible on the right side swivel spout 160° hose guide, swivelling 160° pre-rinse spray

10.501.134.000 all chrome A 300



Lever mixer suspension spring lever installation only possible on the right side swivel spout 180° pre-rinse spray

10.501.154.000 all chrome A 300, with wall flange 10.501.144.000 all chrome A 300, without wall flange



Lever mixer lever installation only possible on the right side pull-out spray with KWC JETCLEAN hose guide, swivelling 140°

10.501.003.736 stainless steel/ matte black A 215 10.501.004.736 stainless steel/ matte black A 260



Lever mixer socket 100 mm lever installation only possible on the right side pull-out spray with KWC JETCLEAN hose guide, swivelling 140°

10.501.163.736 stainless steel/ matte black A 215 **10.501.164.736** stainless steel/ matte black A 260

STAINLESS STEEL





Lever mixer lever installation possible on the right or left side swivel spout 160°

10.261.012.000 all chrome A 200




low-contact with LUMINAQUA® LED technology

Automatic touch light fixed spout

12.661.403.750 polished stainless steel A 155, without pop-up valve, battery 12.661.413.750 polished stainless steel A 155, without pop-up valve, mains receiver

12.661.403.700 stainless steel A 155, without pop-up valve, battery **12.661.413.700** stainless steel A 155, without pop-up valve, mains receiver

Currently only available with mains adapter for the EU as specified. Other models only upon request. Please contact International Sales for further information.



Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 360°

10.261.102.000 all chrome A 200



Lever mixer lever installation possible on the right or left side spray 360° turn hose guide, swivelling 360°

10.261.002.000 all chrome A 200



highflex® patented spring hose technology lever installation possible on the right or left side spray 360° turn

10.261.432.000 all chrome

highflex® extended water system



with LUMINAQUA® LED technology

Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 270°

10.121.103.000 all chrome A 225, mains receiver 10.121.103.700 stainless steel A 225, mains receiver

LUMINAQUA®



with LUMINAQUA® LED technology

Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 270°

10.121.103.150 glacier white A 225, mains receiver

LUMINAQUA® Advanced Light Technology



with LUMINAQUA® LED technology

Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 270°

10.121.103.151 black chrome-plated A 225, mains receiver

LUMINAQUA®
Advanced Light Technology



with LUMINAQUA® LED technology

Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 270°

10.121.102.000 all chrome A 190, mains receiver **10.121.102.700** stainless steel A 190, mains receiver

LUMINAQUA®



Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 270°

10.111.103.000 all chrome A 225 **10.111.103.700** stainless steel A 225



Lever mixer lever installation possible on the right or left side pull-out aerator covered hose guide, swivelling 270°

10.111.102.000 all chrome A 190 **10.111.102.700** stainless steel Δ 190

KWC AVA is also available for the bathroom.



Lever mixer swivel spout 270°

10.191.023.000 all chrome Δ 210



Lever mixer lever installation possible on the right or left side pull-out aerator hose guide, swivelling 360°

10.191.103.000 all chrome



Lever mixer pull-out aerator hose guide, swivelling 130°

10.191.113.000 all chrome A 210



Lever mixer lever installation possible on the right or left side pull-out spray with KWC JETCLEAN hose guide, swivelling 360°

10.191.003.000 all chrome A 205



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.191.033.000 all chrome A 210



Lever mixer fixed spout

11.192.033.000 all chrome A 175, concealed **11.192.034.000** all chrome A 225, concealed

to be ordered separately: unit for concealed installation $\frac{1}{2}$ " 39.193.400.931



Lever mixer swivel spout 360°

10.021.023.000 all chrome Δ 230



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.021.033.000 all chrome A 235



Lever mixer swivel spout 360°

10.021.023.000 all chrome A 230, with long lever



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.021.033.000 all chrome A 235, with long lever



Low pressure

Lever mixer swivel spout 360°

10.025.023.000 all chrome A 230



Low pressure

Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.025.033.000 all chrome A 235

KWC DOMO is also available for the bathroom.



Lever mixer swivel spout 160°

10.061.023.000 all chrome



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.061.032.000 all chrome 10.061.033.000 all chrome A 230



Low pressure

Lever mixer swivel spout 160°

10.065.023.000 all chrome A 225



Low pressure

Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.065.033.000 all chrome A 230



for installation below window, detachable

Lever mixer swivel spout 150°

10.061.043.000 all chrome A 225



for installation below window, detachable

Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.061.053.000 all chrome A 230



Lever mixer swivel spout 160°

10.061.023.000 all chrome A 225, with long lever



pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.061.033.000 all chrome A 230, with long lever





Lever mixer lever installation only possible on the right side swivel spout 160°


10.061.013.000 all chrome A 225



for installation below window, detachable

Lever mixer lever installation only possible on the right side pull-out spray with KWC JETCLEAN hose guide, swivelling 360°

10.061.002.000 all chrome A 180 **10.061.003.000** all chrome A 235



Lever mixer suspension spring lever installation only possible on the right side swivel spout 180° pre-rinse spray

10.061.154.000 all chrome A 240, with wall flange **10.061.144.000** all chrome A 240, without wall flange



Lever mixer swivel spout 160°

10.071.023.000 all chrome A 225



Lever mixer swivel spout 270°

10.211.023.000 all chrome A 230



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.071.033.000 all chrome A 225



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.211.033.000 all chrome A 220



Lever mixer swivel spout 160°

10.071.023.000 all chrome A 225, with long lever



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.071.033.000 all chrome A 225, with long lever



Lever mixer swivel spout 160°

10.051.023.000 all chrome A 225



for installation below window, detachable

Lever mixer swivel spout 150°

10.051.043.000 all chrome A 225



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.051.032.000 all chrome A 180 **10.051.033.000** all chrome A 230



for installation below window, detachable

Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.051.053.000 all chrome A 230



Lever mixer lever installation only possible on the right side swivel spout 160°

10.051.013.000 all chrome A 225



for installation below window, detachable

Lever mixer lever installation only possible on the right side pull-out spray with KWC JETCLEAN hose guide, swivelling 360°


10.051.002.000 all chrome A 180 **10.051.003.000** all chrome A 235

KWC STAR



Lever mixer swivel spout 160°

10.041.023.000 all chrome A 225



Two-handle mixer KWC RONDO plastic handle, removable swivel spout 160°

K.10.41.23.000A02 all chrome Δ 225



Lever mixer pull-out spray with KWC JETCLEAN hose guide, swivelling 130°

10.041.032.000 all chrome A 180 **10.041.033.000** all chrome A 230



for installation below window, detachable

Two-handle mixer KWC CORONA metal handle, removable pull-out spray with KWC JETCLEAN hose guide, swivelling 160°

K.10.41.03.000C03 all chrome A 225



Lever mixer lever installation only possible on the right side swivel spout 160°

10.041.013.000 all chrome A 225



for installation below window, detachable

Two-handle mixer KWC RONDO plastic handle, removable pull-out spray with KWC JETCLEAN hose guide, swivelling 160°


K.10.41.03.000A03 all chrome A 225



for installation below window, detachable


Lever mixer lever installation only possible on the right side pull-out spray with KWC JETCLEAN hose guide, swivelling 360°

10.041.002.000 all chrome A 180 **10.041.003.000** all chrome A 235



KWC AVA

Z.536.159.000 all chrome



KWC ONO

Z.536.060.000 all chrome **Z.536.060.700** stainless steel




KWC EVE

Z.536.063.000 all chrome **Z.536.063.700** stainless steel




KWC INOX

Z.536.062.700 stainless steel



KWC EVE

Z.536.063.151 black chrome-plated



KWC SIN

Z.536.332.000 all chrome



KWC EVE

Z.536.063.150 glacier white



KWC PRIMO

Z.536.109.000 all chrome



www.kwc.com

Visit www.kwc.com for comprehensive information on planning and installation as well as operating instructions, or get in touch with your KWC contact partner.

Technical information

The applications of kitchen faucets depicted in this brochure are for illustrative purposes only. Technology and design may change as a result of continuous product development. The suitability of the faucets must be checked for each property.

For planning and technical implementation, the specifications in conjunction with the assembly and servicing instructions of KWC AG will prevail exclusively. Appropriate information can be ordered from KWC or obtained via www.kwc.com.

Subject to technical, range and model changes. Dimensions in mm.



'Thinking sustainably means incorporating future-proof technologies as well as good sculptural design that will still be contemporary tomorrow.'



