

KWC SELECTION BATH





Pure pleasure



KWC draws on its long company tradition to ensure that its Swiss quality products make a splash right around the world. Developed and manufactured in Unterkulm in Switzerland's Canton Aargau, the products are exported to over 50 countries.

Aesthetics

The extraordinarily elegant design of KWC products raises the experience of handling water to a new level. These exclusively processed faucets create a refined atmosphere in any kitchen or bathroom.

Functionality

Our many years of experience and the continuous ongoing development of our products give them a unique functionality. We also integrate new technologies to achieve hitherto undreamt-of improvements in the way they work.

Ecology

KWC is aware of its environmental responsibilities. We regard the concept of sustainability as a great challenge and incorporate it into everything we do. Thanks to innovative technical features, our products significantly reduce the consumption of water and energy.



KWC is certified in the following areas

ISO 9001 Quality management systems
ISO 14001 Environmental management systems
OHSAS 18001 Occupational health and safety management systems



Swiss quality

KWC is a Swiss company that sets the benchmark worldwide. As a loyal partner, it rates fair play highly and is always willing to take responsibility. This is why KWC faucets are still designed and manufactured in Unterkulm, Canton Aargau. The commitment to production in Switzerland is a guarantee of the expertise and skill of our workforce, of our constant refinement of tried-and-tested technologies and of a consistently high-quality product.

Prize-winning design

Numerous awards for its internationally leading designs demonstrate the high regard in which KWC is held across the world.



reddot design award
winner 2008



Innovationspreis
Architektur und Technik

DESIGN **PLUS**



product
design
award
2006



Designpreis
Deutschland
2011
NOMINIERT






Moving with the times

Just like the fascinating element that is water, KWC too is always on the move. Boldness in making changes and a willingness to innovate have characterized the company since its beginnings in 1874.

Innovative technology

KWC faucets make the daily business of handling water a real experience. Every detail is perfect, every movement is right, every function is impressive.





Form and function

KWC **ONO** Pages **12 / 92**
KWC **ONO** touch light **PRO** Pages **30 / 96**



Creativity and emotion

KWC **USO** Pages **40 / 98**



Peace and harmony

KWC **AVA** Pages **46 / 99**



ShowerCulture

KWC **BOSSANOVA** Pages **60 / 102**
KWC **ELY** Pages **66 / 102**
KWC **PIATTO** Pages **72 / 103**
KWC **thermostats** Pages **76 / 106**
KWC **shower systems** Pages **80 / 111**



Form and function

Outstanding quality always includes two aspects: the aesthetic-formal and the functional. It is only what appeals to us that can move us emotionally – and it is only what represents a reliable value that is capable of convincing us over the long term. At KWC, we like to be inspired by nature when designing new faucets so as always to create new, unusual lines from scratch: as durable and resilient as a piece of granite, as impressive and beautiful as a mountain landscape.

KWC **ONO**
KWC **ONO** touch light **PRO**

Pages **12 / 92**
Pages **30 / 96**

KWC ONO

KWC ONO is a masterpiece of minimalism. Delicate design and high-quality materials and craftsmanship are reflected in every detail of this range of faucets, to give a touch of prestige to the modern bathroom. One particularly stylish feature of the faucet is the slim operating lever made of hardened stainless steel, which allows uniquely precise control while giving KWC ONO its unmistakeable character.






Graceful form, strong character

KWC ONO is a masterpiece of minimalism. Fine materials, a simple style and the latest technology are the defining features of a faucet which will give your bathroom a touch of prestige.



Straight lines

The style of the KWC ONO is defined by its clear, simple lines. The uncompromising geometry gives this faucet a strength that goes far beyond the bounds of the everyday.



Strength and style

Slim but very stable: the operating lever on the KWC ONO (centre) is made of special hardened stainless steel and is resistant to corrosion. It acts directly on the cartridge, guaranteeing maximum precision.

The ultimate in form and function: the acclaimed Neoperl® Caché® (below) is incorporated inside the spout so that it blends into a harmonious whole.





Timeless beauty

KWC ONO is an image of simple elegance. The minimalist design gives your bathroom a fanciful, light touch, making every moment spent there an unforgettable experience.

Flexibility

The bathtub spout, which can be rotated 60°, is discreetly integrated into the cylinder. The direction of the water jet can be adjusted with a flick of the wrist.

You can switch between the shower spray and the bathtub spout by pulling the diverter. The automatic reset function ensures that the diverter automatically returns to its starting position, the bathtub spout, when the water is turned off.

Standing ovations

KWC ONO offers an extra special source of inspiration with this new model for freestanding bathtubs. It leaves even more scope for your imagination – and will cut a fine figure in any bathroom.





Wellness oasis

Let the water flow, and a feeling of well-being follows without fail.
With KWC ONO, pampering your body becomes sheer joy, filling you
with renewed vigour and energy.






Precise indicator

The well-shaped thermostats ensure that your bath or shower is comfortable and safe. These classic designs add an enhancing touch to the KWC ONO range and blend in perfectly with the overall look.

KWC thermostats offer safety and comfort in one: protection against burning and scalding prevents any unpleasantly hot surprises, while a special intelligent mechanism automatically evens out any fluctuations in pressure. This keeps the desired temperature constant and also saves energy.



KWC ONO electronics

Aesthetics and technology, elegance and electronics. A smooth combination of all these elements is essential for electronic faucets. Whether you are looking for an interplay of light and colour, or low-contact or even touchless operation – KWC offers solutions which combine maximum comfort with smart functionality and stylish design.



COLORFLOW

Real-time temperature in colour

Real-time temperature in colour

Colorflow is based on LED technology and reflects the water temperature precisely and continuously. The real-time temperature display offers a unique experience for the operator and forms a striking backdrop for the lever.

DESIGN **PLUS**


reddot design award
winner 2008


Designpreis
Deutschland
2011
NOMINIERT





TIPCONTROL

Three levels, three colours

Three levels, three colours

Touch control regulates the water temperature hygienically and with minimum required contact, thanks to DDSA® sensor technology. Just a brief touch on top is enough: once for cold (blue), twice for warm (orange) and three times for hot (red) – and to clean (green), press for five seconds.

1x on/off



2x



3x



5 sec clean



reddot design award
winner 2008



DESIGNPREIS
2009
NOMINIERT



PURETEC

Contact-free water

The power of thought

KWC ONO touchless exudes mystery. The water starts to flow without the faucet being touched – controlled by invisible forces. The radiation-free DDSA® sensor technology sets the water flowing as soon as your hand is within 5-7cm of the faucet.



KWC ONO touch light **PRO**

The future has already begun. KWC ONO touch light **PRO** is stunning in its minimalist design and is an example of smart, innovative technology – elegance and electronic convenience for the user in a culture of purity. The water temperature – indicated by a ring of blue, orange or red light – is controlled simply by touching/turning the operating unit.



Intuitive

A new dimension in convenience and hygiene: use the 'tip'n'flow 1-2-3' function to select the pre-set 'cold', 'warm' or 'hot' settings at a touch, or rotate to change the temperature to suit you and save that setting.

Remote control

The operating unit is also available in a wireless version. Thanks to a magnetic connection, it can easily be removed from the top of the swivel spout and positioned anywhere in the room.





The key principle is flexibility

The operating and regulating devices and the spout can all be positioned entirely flexibly. The operating unit can be mounted on the shelf, the washstand or the wall (flush-fitting).





Shower in comfort

Comfort and elegance in complete harmony: whether it's the ability to switch between the overhead and hand-held shower spray at the touch of a button, or the integrated thermostat – safety, aesthetics and relaxation go hand in hand.



Everything under control

You'd like the bathtub filled automatically? No problem! The quantity and temperature of the water can be easily programmed and then KWC ONO touch light **PRO** controls the filling of the bath. That means you can relax before you even get into the bath.





Creativity and emotion

Evoking emotions is part of the high art of good product design. In addition to perfect functionality, it is therefore always important to create moods, to stimulate all the senses and to open the heart to aesthetics. Thanks to its creative, innovative approach to shapes, colours, materials and technology, KWC time and again produces faucets with a 'soul' that can touch and enthrall, by appealing to the emotions as well as the mind.

KWC USO

Electronic faucets are a law unto themselves. The quest for perfection is still the top priority, but a balance has to be found between aesthetics and technology, elegance and electronics. The best example of this is the KWC USO: a wonderful piece of design that swathes the beauty of the flowing water in carefully regulated colours – and shows off the qualities of LUMINAQUA® LED technology in the very best light.

LUMINAQUA®
Advanced Light Technology

EDELSTAHL
STAINLESS STEEL



1x
on/off**TIPCONTROL**

Three levels, three colours

Just touch the spout and the water becomes coloured: once for cold (blue), twice for warm (orange) and three times for hot (red). The cleaning mode (green) is activated when you press the spout for five seconds, and it switches itself off automatically. The water flows for 10 seconds (factory setting).

Minimalist in shape, refined in the diversity of its functions: KWC USO perfectly complements the workspace of the modern kitchen. A faucet full of character, with a harmonious overall image – and which gives outstanding service in everyday use.



2x



3x

5 sec
clean



Peace and harmony

Feel safe and secure. The desire for harmony is a human longing that finds particular expression at home, within one's own four walls – and rightly so. This is where we like to be, this is where we like to be able to rely on things. KWC takes the desire for reliability very seriously – with faucets that stand out thanks to their precision, long lifespan, diversity of functions and timeless design. With all these aspects, the focus is on one thing: outstanding Swiss quality.

KWC AVA

With KWC AVA, the extraordinary becomes a matter of course. The slim proportions and cubic style are the defining characteristics of this range which creates such a confident, striking impression. It forms a link between traditional products and modern design, while fully accommodating the desire for individuality. This is a range of faucets that also appeals to a broad public.






Your bathroom – your space

KWC AVA offers inspiration for people who take pleasure in filling their own space with their own dreams. The bathroom becomes an expression of a way of living which seeks peace and harmony – and finds both through natural contact with water.

Full lever action


The eye-catching feature of this faucet is its flat lever, which is based on an innovative lever principle with an invisible lifting mechanism. It moves and lifts simultaneously on opening – thus giving a completely new operating sensation.





Saving systematically

The KWC AVA basin mixer meets the highest standards in terms of aesthetics, ecology, hygiene and washing comfort. Around 7.5 litres per minute (3 bar) flow from the integrated Neoperl® Caché®, meaning that between 30 % and 40 % less water is used than with standard basin faucets.



COOLFIX
smart energy saver

The environmentally conscious use of energy and water is an important concern to us. KWC AVA in the COOLFIX version is an excellent example of how thinking about sustainability influences our product development – and how much pleasure can be engendered by caring about ecology and the environment. Thanks to COOLFIX, it is cold water rather than lukewarm water which flows when the lever is in the central position, thereby substantially reducing the consumption of hot water.



Bull's eye

Installed sideways, easily rotatable, absolutely precise: the bathtub spout guides the water in the right direction with a simple turn.

Protective casing

The high-quality single lever mixer for the shower is insulated and offers optimal protection against scalding – all without compromising the elegance and simplicity of the minimalist tubular design.





hotControl

Temperatures over 38° C can only be selected after the safety button has been pressed. The hot water is also automatically stopped if the cold water supply fails.



The changeover zone

The elegant concealed thermostat offers tingling moments as you switch between hot and cold water. The changeover from hand shower to shower head takes place at the press of a button.

All-inclusive

The minimalist cylinder defines the character of the surface-mounted shower. Exclusive faucet design – including flow regulator and thermostat.




ShowerCulture

Showering is, in itself, a cultural achievement. Being able to control and use water for the purposes of our own well-being makes everyday life simpler and more agreeable. Yet showers are not all the same. KWC raises the bar: ShowerCulture means making your shower into a personal experience, stimulating or relaxing, just as you prefer. It's showering with all your senses, or, to put it simply: pure pleasure.

KWC **BOSSANOVA**
KWC **ELY**
KWC **PIATTO**
KWC **thermostats**
KWC **shower systems**

Pages **60 / 102**
Pages **66 / 102**
Pages **72 / 103**
Pages **76 / 106**
Pages **80 / 111**



KWC ShowerCulture offers a carefully coordinated system comprising all kinds of innovative products that can be combined together. Whether it's the hand shower, the shower head, the thermostat or the entire shower system – with KWC the design and functionality always reflect your particular lifestyle. Whatever you as an individual may select, the focus is always on making your showering experience personal to you.

KWC bossa nova

The new KWC BOSSANOVA hand shower is a real innovation, setting new standards for style, colour and materials. KWC BOSSANOVA is available in two versions – mono, with one type of jet, and duo, with two.





ergoSkin-Feeling

ergoSkin, the newly developed surface made of multi-component silicone, feels wonderfully smooth, is skin-friendly and easy to maintain.

- safe and non-slip, even when your hands are wet
- durable and easy to clean
- a unique combination of materials with a glossy chrome finish



Anti-limescale nozzles


- effective protection from a build-up of limescale
- clean with a microfibre cloth (limescale breaks down on the smooth silicone)

Design with emotional appeal

Four colours, soft, flowing lines, an exciting combination of materials – KWC BOSSANOVA brings your personal lifestyle into the shower.

- harmonic blue
- midnight blue
- urban grey
- fancy purple






duo

This version of KWC BOSSANOVA comes in four colours: harmonic blue, urban grey, fancy purple and midnight blue. It measures 130 mm in diameter and has two types of jet (spaJet and fitJet).

The right angle: an angled shower head for perfect positioning in the shower. The hose never gets a kink in it at this angle.


KWC BOSSANOVA duo



spaJet

Wide-area spray using all nozzles for a pure spa experience.

KWC BOSSANOVA duo



fitJet


Powerful spray using inner circle of nozzles for a tingling shower experience.

mono

The smaller of the two KWC BOSSANOVA hand showers is available in urban grey. It measures 105 mm in diameter and has one type of jet (fitJet). Also available is the water-saving version KWC BOSSANOVA air (ecoJet).

The right angle: an angled shower head for perfect positioning in the shower. The hose never gets a kink in it at this angle.


KWC BOSSANOVA mono



fitJet


A powerful, revitalising spray for a tingling shower experience.

KWC BOSSANOVA air



ecoJet

Intense, environmentally-friendly spray with air and water-mixing technology.



KWC Ely

The new hand shower KWC ELY is the ultimate in style, dynamism and elegance, bringing a whole new dimension to the concept of design in showering. KWC ELY is available in two versions – mono, with one type of jet, and duo, with two. Based on two basic shapes, cylinders and ellipses, the shower head blends in with most interior design styles.





Exceptional showering luxury

Despite its slimline appearance, the KWC ELY reveals some stunning features when you use it.

- **Perfect jet direction:** The jet is directed exactly where you want it to be: on your body



Well thought-out details

Often it's the little things that make the difference. KWC ELY duo incorporates a really clever idea: built-in continuous adjustment – for ease of use, maximum hygiene, and real added value.





duo

One of the impressive features of the KWC ELY duo is its two jet types which give completely different sensations: fitJet and powerJet. The continuous diverter is seamlessly integrated in the shower head.

The right angle: an angled shower head for perfect positioning in the shower.



KWC ELY duo




fitJet

Tender care for your skin with a gentle, wide needle spray.



KWC ELY duo




powerJet

Stimulating and highly revitalising with a powerful, intense massage spray.

mono

With fitJet, KWC ELY mono offers a pleasantly soft, all-over needle spray which caresses your body as you shower.

The right angle: an angled shower head for perfect positioning in the shower.



KWC ELY mono



fitJet

Tender care for your skin with a gentle, wide needle spray.



KWC PIATTO

KWC PIATTO shower heads bring distinction and spaciousness to your shower. With two basic styles, round or square – each available in different sizes – you can choose between a sculpted Cubist appearance and a harmoniously rounded design.





Round or square and super-slim

Whether you choose the round version or the square one, KWC PIATTO offers a real spa experience in your very own shower. Both versions are also aesthetically pleasing – especially thanks to the incredibly slim shower head, measuring just 7 mm deep.

Flexible ball joint

A swivelling ball joint means you can adjust the angle of the shower head exactly as you please.

After showering, simply tip the shower head slightly so that the remaining water runs out. This avoids a build-up of limescale residue and other deposits.

Secure fixings

The shower head can be secured safely and firmly using an Allen key.



KWC thermostats

Safer, more convenient. With its range of thermal bathtub and shower fittings, KWC is setting a new standard for modern thermostats. Their simple, slim elegance makes them a perfect match for the corresponding faucet ranges, but they also blend in well with any other kind of faucet in your bathroom.





Triple safety concept

KWC thermostats provide excellent protection from scalding or burning. This is thanks to a sophisticated safety concept operating on three levels:

- hotControl: temperatures over 38° C can only be selected after pressing the safety button. The hot water is also automatically stopped if the cold water supply fails.
- touchControl: reliable protection from burning. The hot water supply is insulated so that the body of the fitting never becomes more than warm.
- compensation for pressure fluctuations in the water supply. This means that the temperature remains constant even if the volume of water changes.

Other impressive benefits include the ease of use and long service life, thanks to our tried-and-tested thermostat technology.

Easy switching

The device for switching between the handheld shower and the bath spout is incorporated in the turning handle that controls the flow – nothing could be easier.



Saving energy and water

With KWC thermostats, your preferred water temperature is available in just a few moments, whereas with traditional two-handle mixers you often have to wait quite some time before the hot and cold water are mixed to reach the perfect temperature. So for several seconds you avoid running off water that you are not using – and water that has already been heated is not wasted either.

smartControl: water-saving device. You can feel a certain resistance in the turning handle for controlling the water flow. This indicates the point at which the volume of water goes beyond the eco-range.



KWC shower systems

In our part of the world, a bathroom with a shower, and usually also with a bath, is now the norm.

However, the existing arrangement is not always satisfactory, either functionally or aesthetically. There may be many good reasons (e.g. a renovation) to think about upgrading your shower installation.

This is where the many and varied shower systems available from KWC come into their own. They can easily be connected to existing fittings.



Shower before

Shower after

Replacement system

Just build on what you already have. With an upgrade from KWC, it's easy! All you have to do is replace the existing KWC sliding wall bar with a water-bearing one and you have the basis for installing a luxury KWC shower system. This can be further enhanced by adding your own choice of shower head or handheld shower and a thermostat – in place of the previous, traditional bathtub or shower mixer.

- Quick and easy conversion of the existing arrangement
- Installation can be surface-mounted for easy fitting in older bathrooms
- Uses the same pipes and connections
- Can be combined with any shower or bath fittings

Bathtub before

Bathtub after, with existing mixer

Bathtub after, with new thermostatic mixer

Surface-mounted system

Use what's there to create something new. Whether it's a minor renovation or a new building – with a KWC surface-mounted system you can't go wrong. You can soon make space for an entirely new shower experience, with very little effort. For example, when renovating, the existing connections can still be used. In this way, the previous installation can be made into a luxury shower system simply by replacing a few elements.

- Suitable for renovations or as a cost-effective solution for new buildings
- Surface-mounted installation, so it's easy to fit in older bathrooms too
- Fittings use existing connections (when renovating)
- Pre-configured surface-mounted systems available for the KWC ONO and KWC AVA ranges

Shower after (minor renovation)

Shower after (new building)

Shower before





Concealed system

For individualists, there is the fun of choosing. In both new buildings and complete renovations, KWC shower systems can be configured entirely to meet your personal wishes and needs. There is a wide range of shower heads, handheld showers, elegant mixers and thermostats to choose from. These customisable sets are concealed systems, making them particularly elegant.

- Huge variety of different elements that can be combined
- Elegant concealed system
- Ideal for new buildings or extensive renovation projects



Standard: KWC shower bracket

Every detail counts. That's the motto here at KWC, even when it comes to the little things. For example, the KWC ball-jointed shower bracket for sliding wall bars provides genuine 3D functionality. That is to say: when the hand shower is mounted in the bracket, it can be positioned at exactly the required angle and stays firmly in the position you have chosen.

Flexible: rotating cone

Really practical: all KWC shower hoses are fitted as standard with a rotating cone, so that the hose cannot become twisted however much you move it about.

Cool: water-bearing sliding wall bar


Thanks to the pipe-in-a-pipe system, the water-bearing sliding wall bars do not become hot, which reliably prevents burning.

Comprehensive range

KWC bathroom faucets stand for the best in aesthetic design and unparalleled functionality. The wide range of series and models available allows you to tailor your bathroom fittings to suit your requirements and tastes.



KWC ONO is also available for the kitchen.



Basin

Lever mixer
fixed spout
Neoperl® Caché®


12.151.042.000FL all chrome
A 125, with pop-up valve
12.151.052.000FL all chrome
A 125, without pop-up valve



**Basin
with LED-technology**

Lever mixer
lightpin with real time temperature
indicator (color lightpin)
fixed spout
Neoperl® Caché®

12.151.342.000FL all chrome
A 125, with pop-up valve, mains
receiver
12.151.332.000FL all chrome
A 125, without pop-up valve, mains
receiver




Basin

Lever mixer
fixed spout
Neoperl® Caché®

11.152.033.000 all chrome
A 175
11.152.034.000 all chrome
A 225


To be ordered separately:
unit for concealed installation ½" **39.151.400.931**



Tub

Lever mixer
diverter with automatic reset
rotatable spout 60°
Neoperl® Caché®


20.152.442.000 all chrome
AD 153 +/- 15 mm, A 135, without hand
shower and hose



Basin

Lever mixer
for vessel basin
fixed spout
Neoperl® Caché®


12.151.393.000FL all chrome
A 155, with pop-up valve
12.151.093.000FL all chrome
A 155, without pop-up valve



**Basin
non-contact**

Automatic
touchless
fixed spout
Neoperl® Caché®


12.151.462.000FL all chrome
A 125, without pop-up valve, battery
12.151.472.000FL all chrome
A 125, without pop-up valve, mains
receiver
12.151.482.000FL all chrome
A 125, without pop-up valve, power
supply for concealed installation



Bidet

Lever mixer
fixed spout
ball joint aerator Neoperl® Caché®


13.151.041.000FL all chrome
A 115, with pop-up valve



**Tub
thermostat**

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
fixed spout
Neoperl® Caché®


20.152.503.000 all chrome
AD 150 +/- 15 mm, A 190, without hand
shower and hose



Basin

Lever mixer
for vessel basin
fixed spout
Neoperl® Caché®


12.151.293.000FL all chrome
A 170, without pop-up valve



**Basin
low-contact
with LED-technology**

Automatic
touch light
fixed spout
Neoperl® Caché®

12.151.432.000FL all chrome
A 125, with pop-up valve, battery
12.151.402.000FL all chrome
A 125, without pop-up valve, battery
12.151.442.000FL all chrome
A 125, with pop-up valve, mains receiver
12.151.412.000FL all chrome
A 125, without pop-up valve, mains
receiver
12.151.452.000FL all chrome
A 125, with pop-up valve, power supply
for concealed installation
12.151.422.000FL all chrome
A 125, without pop-up valve, power
supply for concealed installation



Tub

Lever mixer
fixed spout
Neoperl® SLIM®

20.151.094.000 all chrome
A 200, with hand shower and hose

To be ordered separately:
pre-assembly unit **Z.536.178**




Tub

Trim kit with function unit
diverter with automatic reset

20.154.280.000 all chrome
20.154.290.000 all chrome
concealed, with vacuum breaker

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




**Tub
thermostat**


Trim kit with thermostatic function unit
hotControl – temperature handle with
safety stop button 38° C
diverter with automatic reset

20.154.480.000 all chrome


To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




Shower
Lever mixer
21.152.330.000 all chrome
AD 153 +/- 15 mm, without hand
shower and hose




**Shower
thermostat**
Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
21.152.500.000 all chrome
AD 150 +/- 15 mm, without hand
shower and hose




Shower
Trim kit with function unit
21.154.280.000 all chrome
To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




**Shower
thermostat**
Trim kit with thermostatic function unit
hotControl – temperature handle with
safety stop button 38° C
21.154.480.000 all chrome
To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




**Shower
thermostat**
Trim kit for thermostatic valve
without diverter
21.154.240.000 all chrome
To be ordered separately:
unit for concealed installation ¾" **39.152.320.000**



Shower system
Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
Sliding wall bar can be shortened to a
specific length as required.
26.156.213.000 all chrome
AD 150 +/- 15 mm, A 300, with hand
shower and hose




Accessories
Bathtub spout
fixed spout
Neoperl® Caché®
26.151.073.000 all chrome
A 200



Accessories
Trim kit
27.150.050.000 all chrome
To be ordered separately:
unit for concealed installation
39.990.011.931 or **K.38.93.00.931.34**

KWC ONO touch light **PRO** is also available for the kitchen.


More information about KWC ONO touch light **PRO** can be found on the microsite, which you can access via www.kwc.com.



**Basin
with LED-technology**

Automatic
for vessel basin
tip'n'flow 1-2-3
2-hole
swivel spout 360°
Neoperl® SLIM®

12.652.012.000FL all chrome
A 220, with pop-up valve, mains
receiver
12.652.122.000FL all chrome
A 220, without pop-up valve, mains
receiver




**Basin
with LED-technology**

Automatic
tip'n'flow 1-2-3
fixed spout
Neoperl® SLIM®

11.654.003.000 all chrome
A 175, mains receiver
11.654.004.000 all chrome
A 225, mains receiver


To be ordered separately:
unit for concealed installation ½"
39.004.500.931



**Basin
with LED-technology**

Automatic
tip'n'flow 1-2-3
2-hole
swivel spout 360°
Neoperl® SLIM®

12.652.011.000FL all chrome
A 125, with pop-up valve, mains
receiver




**Basin
with LED-technology**

Automatic
for vessel basin
tip'n'flow 1-2-3
swivel spout 360°
Neoperl® SLIM®

12.651.032.000FL all chrome
A 220, with pop-up valve, mains receiver
12.651.132.000FL all chrome
A 220, without pop-up valve, mains
receiver


To be ordered separately:
rough in for operating unit **Z.636.183**



**Basin
with LED-technology**

Automatic
tip'n'flow 1-2-3
swivel spout 360°
Neoperl® SLIM®

12.651.021.000FL all chrome
A 125, without pop-up valve, mains
receiver




**Basin
with LED-technology**

Automatic
tip'n'flow 1-2-3
swivel spout 360°
Neoperl® SLIM®

12.651.031.000FL all chrome
A 125, with pop-up valve, mains
receiver

To be ordered separately:
rough in for operating unit **Z.636.183**




**Shower
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

21.654.010.000 all chrome
L 1100, power supply for concealed
installation, with hand shower, hose and
bracket

To be ordered separately:
rough in for operating unit **Z.636.183**




**Shower
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

21.654.030.000 all chrome
L 1100, power supply for concealed
installation, with hand shower, hose and
bracket

To be ordered separately:
rough in for operating unit **Z.636.183**



**Shower
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

21.654.020.000 all chrome
L 1100, power supply for concealed
installation, with hand shower, hose and
bracket

To be ordered separately:
rough in for operating unit **Z.636.183**

KWC AVA is also available for the kitchen.




Tub thermostat with LED-technology

Automatic tip'n'flow 1-2-3 fixed spout Neoperl® SLIM®

20.657.234.000 all chrome
A 200, power supply for concealed installation, with hand shower, hose and bracket

To be ordered separately:
rough in for operating unit **Z.636.183**



Tub thermostat with LED-technology

Automatic tip'n'flow 1-2-3 swivel spout 360° Neoperl® SLIM®

20.657.023.000 all chrome
A 220, power supply for concealed installation



Tub thermostat with LED-technology

Automatic tip'n'flow 1-2-3

20.657.120.000 all chrome
power supply for concealed installation




Accessories with LED-technology

KWC ONO touch light PRO wireless operating unit, with charging station

Z.536.351.000 all chrome
mains receiver


The wireless module can be used in combination with all KWC ONO touch light PRO faucets.



Basin low-contact with LUMINAQUA® LED-technology

Automatic touch light fixed spout Neoperl® SLIM®

12.661.403.700FL stainless steel
A 155, without pop-up valve, battery
12.661.403.750FL polished stainless steel
A 155, without pop-up valve, battery
12.661.413.700FL stainless steel
A 155, without pop-up valve, mains receiver
12.661.413.750FL polished stainless steel
A 155, without pop-up valve, mains receiver



Basin cold water flow in central lever position

Lever mixer COOLFIX – cold water flow in central lever position fixed spout Neoperl® Caché®


12.191.031.000FL all chrome
A 110, with pop-up valve
12.191.071.000FL all chrome
A 110, without pop-up valve



Basin cold water flow in central lever position

Lever mixer COOLFIX – cold water flow in central lever position fixed spout Neoperl® Caché®


12.191.032.000FL all chrome
A 125, with pop-up valve
12.191.072.000FL all chrome
A 125, without pop-up valve



Basin

Lever mixer for vessel basin fixed spout Neoperl® Caché®

12.191.393.000FL all chrome
A 150, with pop-up valve
12.191.093.000FL all chrome
A 150, without pop-up valve



Basin

Lever mixer fixed spout Neoperl® Caché®


12.191.041.000FL all chrome
A 110, with pop-up valve
12.191.051.000FL all chrome
A 110, without pop-up valve



Basin

Lever mixer fixed spout Neoperl® Caché®

12.191.042.000FL all chrome
A 125, with pop-up valve
12.191.052.000FL all chrome
A 125, without pop-up valve



Basin

Lever mixer lever installation possible on the right or left side swivel spout 180° Neoperl® Caché®

12.191.131.000FL all chrome
A 135, with pop-up valve
12.191.141.000FL all chrome
A 135, without pop-up valve




Basin

Lever mixer
fixed spout
Neoperl® Caché®

11.192.033.000 all chrome
A 175
11.192.034.000 all chrome
A 225


To be ordered separately:
unit for concealed installation ½" **39.193.400.931**



Bidet

Lever mixer
fixed spout
ball joint aerator Neoperl® Caché®

13.191.041.000FL all chrome
A 110, with pop-up valve




Tub

Trim kit with function unit
diverter with automatic reset

20.194.580.000 all chrome
20.194.590.000 all chrome
concealed, with vacuum breaker

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves



Shower

Trim kit with function unit

21.194.580.000 all chrome


To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves



Tub

Lever mixer
diverter with automatic reset
rotatable spout 45°
Neoperl® Caché®


20.192.440.000 all chrome
AD 150 +/- 15 mm, without hand
shower and hose



Tub thermostat

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
fixed spout
Neoperl® Caché®

20.192.503.000 all chrome
AD 150 +/- 15 mm, A 190, without hand
shower and hose




Tub thermostat

Trim kit with thermostatic function unit
hotControl – temperature handle with
safety stop button 38° C
diverter with automatic reset

20.194.480.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




Shower thermostat

Trim kit with thermostatic function unit
hotControl – temperature handle with
safety stop button 38° C

21.194.480.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves



Shower system

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
Sliding wall bar can be shortened to a
specific length as required.


26.196.213.000 all chrome
AD 150 +/- 15 mm, A 300, with hand
shower and hose



Shower

Lever mixer


21.192.330.000 all chrome
AD 150 +/- 15 mm, without hand
shower and hose



Accessories

Bathtub spout
fixed spout
Neoperl® Caché®

26.191.073.000 all chrome
A 200




Shower thermostat

Trim kit with thermostatic function unit
without diverter
without volume control
hotControl – temperature handle with
safety stop button 38° C

21.194.600.000 all chrome


To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves



Shower thermostat

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C

21.192.500.000 all chrome
AD 150 +/- 15 mm, without hand
shower and hose




Accessories

Trim kit

27.190.050.000 all chrome

To be ordered separately:
unit for concealed installation
39.990.011.931 or **K.38.93.00.931.34**



KWC BOSSANOVA duo

Hand shower
touchControl – hand shower does not become hot
ergoSkin – ergonomic grip, pleasant surface
fitJet & spaJet
remains set to the last shower spray selected

26.000.112.042 chrome/fancy purple



KWC BOSSANOVA air

Hand shower
touchControl – hand shower does not become hot
ergoSkin – ergonomic grip, pleasant surface
(AIR) water saving
ecoJet

26.000.110.040 chrome/urban grey



KWC BOSSANOVA duo

Hand shower
touchControl – hand shower does not become hot
ergoSkin – ergonomic grip, pleasant surface
fitJet & spaJet
remains set to the last shower spray selected


26.000.112.043 chrome/midnight blue



KWC BOSSANOVA mono

Hand shower
touchControl – hand shower does not become hot
ergoSkin – ergonomic grip, pleasant surface
fitJet


26.000.111.040 chrome/urban grey



KWC BOSSANOVA duo

Hand shower
touchControl – hand shower does not become hot
ergoSkin – ergonomic grip, pleasant surface
fitJet & spaJet
remains set to the last shower spray selected

26.000.112.041 chrome/harmonic blue



KWC ELY mono

Hand shower
touchControl – hand shower does not become hot
fitJet

26.000.120.000 all chrome



KWC BOSSANOVA duo

Hand shower
touchControl – hand shower does not become hot
ergoSkin – ergonomic grip, pleasant surface
fitJet & spaJet
remains set to the last shower spray selected

26.000.112.040 chrome/urban grey



KWC ELY duo

Hand shower
touchControl – hand shower does not become hot
fitJet & powerJet
automatically resets to fitJet after use

26.000.121.000 all chrome



KWC PIATTO Q

Shower head
made of plastic
with ball joint
spaJet

26.000.200.000 all chrome
D 200x200



KWC PIATTO Q

Shower head
made of stainless steel
with ball joint
spaJet


26.000.201.000 all chrome
D 240x240
26.000.202.000 all chrome
D 300x300
26.000.203.000 all chrome
D 400x400



KWC PIATTO R

Shower head
made of plastic
with ball joint
spaJet

26.000.210.000 all chrome
D 200



KWC PIATTO R

Shower head
made of stainless steel
with ball joint
spaJet

26.000.211.000 all chrome
D 240
26.000.212.000 all chrome
D 300
26.000.213.000 all chrome
D 400



KWC FIT five

Shower head
made of plastic
fitJet
five different setting options

26.000.220.000 all chrome



KWC FIT mono

Shower head
made of plastic
fitJet

26.000.221.000 all chrome



Bracket
26.000.800.000 all chrome
L 352



Bracket
26.000.801.000 all chrome
L 352



Bracket
26.000.802.000 all chrome
L 352




Bracket
26.000.803.000 all chrome
L 352




Bracket
26.000.810.000 all chrome
L 352



Bracket
26.000.813.000 all chrome
L 352



Bracket
26.000.811.000 all chrome
L 385




Bracket
26.000.812.000 all chrome
L 485



Bracket
26.000.820.000 all chrome
L 125
26.000.821.000 all chrome
L 225
26.000.822.000 all chrome
L 325



Bracket
26.000.823.000 all chrome
L 125
26.000.824.000 all chrome
L 225
26.000.825.000 all chrome
L 325




KWC ONO

**Tub
thermostat**

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
fixed spout
Neoperl® Caché®

20.152.503.000 all chrome
AD 150 +/- 15 mm, A 190, without hand
shower and hose




KWC ONO

**Shower
thermostat**

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C

21.152.500.000 all chrome
AD 150 +/- 15 mm, without hand
shower and hose




KWC ONO

**Tub
thermostat**

Trim kit with thermostatic function unit
hotControl – temperature handle with
safety stop button 38° C
diverter with automatic reset

20.154.480.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves



KWC ONO

**Shower
thermostat**

Trim kit with thermostatic function unit
hotControl – temperature handle with
safety stop button 38° C

21.154.480.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




KWC ONO touch light PRO

**Tub
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3
fixed spout
Neoperl® SLIM®

20.657.234.000 all chrome
A 200, power supply for concealed
installation, with hand shower, hose and
bracket

To be ordered separately:
rough in for operating unit **Z.636.183**



KWC ONO touch light PRO

**Tub
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3
swivel spout 360°
Neoperl® SLIM®

20.657.023.000 all chrome
A 220, power supply for concealed
installation




KWC ONO touch light PRO

**Tub
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

20.657.120.000 all chrome
power supply for concealed installation




KWC ONO touch light PRO

**Shower
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

21.654.010.000 all chrome
L 1100, power supply for concealed
installation, with hand shower, hose and
bracket

To be ordered separately:
rough in for operating unit **Z.636.183**




KWC ONO touch light PRO

**Shower
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

21.654.030.000 all chrome
L 1100, power supply for concealed
installation, with hand shower, hose and
bracket

To be ordered separately:
rough in for operating unit **Z.636.183**




KWC ONO touch light PRO

**Shower
thermostat
with LED-technology**

Automatic
tip'n'flow 1-2-3

21.654.020.000 all chrome
L 1100, power supply for concealed
installation, with hand shower, hose and
bracket


To be ordered separately:
rough in for operating unit **Z.636.183**



KWC AWA
Tub thermostat

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer does not become hot
hotControl – temperature handle with safety stop button 38° C
fixed spout
Neoperl® Caché®


20.192.503.000 all chrome
AD 150 +/- 15 mm, A 190, without hand shower and hose



KWC AWA
Shower thermostat

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer does not become hot
hotControl – temperature handle with safety stop button 38° C

21.192.500.000 all chrome
AD 150 +/- 15 mm, without hand shower and hose




KWC AWA
Tub thermostat

Trim kit with thermostatic function unit
hotControl – temperature handle with safety stop button 38° C
diverter with automatic reset

20.194.480.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




KWC AWA
Shower thermostat

Trim kit with thermostatic function unit
hotControl – temperature handle with safety stop button 38° C

21.194.480.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves




KWC AWA
Shower thermostat

Trim kit with thermostatic function unit
without diverter
without volume control
hotControl – temperature handle with safety stop button 38° C

21.194.600.000 all chrome

To be ordered separately:
unit for concealed installation
KWC VAROX ½" **39.999.300.931**,
with shut-off valves



Sliding wall bar

KWC ball joint bracket, elevation adjustment lockable


26.000.504.000 all chrome
L 612
26.000.505.000 all chrome
L 1100



Sliding wall bar

KWC ball joint bracket, elevation adjustment lockable

26.000.502.000 all chrome
L 612
26.000.503.000 all chrome
L 1100



KWC ELY mono
Sliding wall bar kit

Scope of delivery:
hand shower KWC ELY mono
26.000.120.000
shower hose 1800 mm, plastic
26.001.014.000
Sliding wall bar **K.26.99.01.000**

26.003.101.000 all chrome
L 612
26.003.102.000 all chrome
L 1100



KWC BOSSANOVA duo
Sliding wall bar kit

Scope of delivery:
hand shower KWC BOSSANOVA duo
26.000.112.040
shower hose 1800 mm, plastic
26.001.014.000
Sliding wall bar **K.26.99.01.000**


26.003.301.000 all chrome
L 612
26.003.302.000 all chrome
L 1100



KWC BOSSANOVA mono
Sliding wall bar kit

Scope of delivery:
hand shower KWC BOSSANOVA mono
26.000.111.040
shower hose 1800 mm, plastic
26.001.014.000
Sliding wall bar **K.26.99.01.000**


26.003.201.000 all chrome
L 612
26.003.202.000 all chrome
L 1100



Shower system KWC ONO

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
Sliding wall bar can be shortened to a
specific length as required.

26.156.213.000 all chrome
AD 150 +/- 15 mm, A 300, with hand
shower and hose



Shower system KWC AVA

Thermostat
smartControl – water-saving device
touchControl – the body of the mixer
does not become hot
hotControl – temperature handle with
safety stop button 38° C
Sliding wall bar can be shortened to a
specific length as required.

26.196.213.000 all chrome
AD 150 +/- 15 mm, A 300, with hand
shower and hose



Shower bracket
26.000.621.000 all chrome



Shower bracket
26.000.620.000 all chrome



Shower bracket
made of plastic
26.000.622.000 all chrome



Ball joint bracket
26.000.623.000 all chrome



Shower hose
made of plastic
26.001.019.000 all chrome
L 1000



Shower hose
made of plastic
26.001.014.000 all chrome
L 1800
26.001.012.000all chrome
L 1250

KWC hose connections



Hose connection
26.000.610.000 all chrome



Hose connection
26.000.611.000 all chrome



Hose connection
26.000.612.000 all chrome



Hose connection
26.000.614.000 all chrome



Hose connection
26.000.613.000 all chrome



KWC – big in the kitchen, too

All the information on the world of KWC kitchen faucets can be found here:
– Brochure: KWC Selection for Kitchens
– Internet: www.kwc.com
– Smartphone: mobile.kwc.ch

Technical information

The applications of bath faucets depicted in this brochure are for illustrative purposes only. Technology and design may change as a result of continuous product development. The suitability of the faucets must be checked for each property. For planning and technical implementation, the specifications and the assembly and servicing instructions of KWC AG will apply exclusively. The relevant information can be ordered from KWC or obtained via www.kwc.com.

Subject to technical, range and model changes. Dimensions in mm.

www.kwc.com

Visit www.kwc.com for comprehensive information on planning and installation as well as operating instructions, or get in touch with your KWC contact partner.

'Thinking sustainably means incorporating future-proof technologies as well as good sculptural design that will still be contemporary tomorrow.'

