

Pulsify S Puro
Showerpipe 260 1jet with Ecostat Fine
 Finish: **Chrome** Article Number: **24222000**



Description

product features

- consists of: overhead shower, hand shower, shower thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- spray disc surface: graphite
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- flow rate PowderRain spray (at 3 bar): 11,2 l/min
- spray type hand shower: PowderRain
- flow rate of hand shower at 3 bar: 8 l/min
- maximum flow rate for Showerpipe at 3 bar: 11,2 l/min
- max. operating pressure: 10 bar
- ball-joint: overhead shower angle adjustable
- shower bar diameter: 22 mm
- height-adjustable slider with locking push-button slider
- slider rotatable on the pipe for left or right operation
- shower arm length overhead shower: 460 mm
- swivel shower arm
- thermostat Ecostat Fine
- safety stop at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- will not run two functions at same time
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm
- intrinsically safe against backflow
- pipe length: 1119 mm
- 2 functions

Technology




Pulsify S Puro
Showerpipe 260 1jet with Ecostat Fine
 Finish: **Chrome** Article Number: **24222000**




Product image



Scale drawing



Flowchart



Pulsify S Puro
Showerpipe 260 1jet with Ecostat Fine
 Finish: **Chrome** Article Number: **24222000**



Installation examples

